

潮州市宇泰机械科技有限公司  
CHAOZHOU YUTAI MACHINERY TECHNOLOGY CO.,LTD



科技创新 引领未来

潮州市宇泰机械科技有限公司  
CHAOZHOU YUTAI MACHINERY TECHNOLOGY CO.,LTD

电话/TEL: 0768-6857982

邮箱/E-mail:yutaihelen@foxmail.com

联系人: 庞红伟 0086-13600121696

Attn: Ms.helen 0086-13828368696

Website: www.yutaimachinery.com / www.yutaimachines.com

地址: 广东省潮州市潮安区凤塘镇新风路东门村大坪山南侧6号厂房

Add: NO.6,South of Dapingshan,Dongmen Village,Xinfeng Road,Fengtang Town,Chaoan Chaozhou City,Guangdong Province



Wechat QR code



Wechat QR code



Official website

专业生产销售各种日用陶瓷生产设备

PROFESSIONAL PRODUCTION AND SALES OF VARIOUS DAILY CERAMIC PRODUCTION EQUIPMENT



## Company Profile 公司简介

潮州市宇泰机械科技有限公司成立于2010年，位于中国瓷都---潮州。我们的产品有全自动滚压生产线，全自动注浆生产线，全自动上釉生产线，智能化窑炉设备，球磨机，压泥机，练泥机，滚压机，上釉机，烤花机，陶瓷花纸印刷机。欢迎新老客户参观指导。

CHAOZHOU YUTAI MACHINERY TECHNOLOGY CO.,LTD is located in the capital city of ceramic ---chaozhou.Since 2010 ,we have been manufacturing all kinds of machines for making ceramic tableware. Such as ball mill, Filter press, pug mill , semiautomatic and automatic forming machines, semiautomatic and automatic glazing machines , kiln ,shuttle kiln, decoration oven, pad printing machine, ceramic decals printing machines.etc. Welcome to visit us .

### AUTOMATIC FORMING LINE 经济型自动滚压线



## Patent certificate 专利证书



### 用途

本机根据生产工艺流程设计出来的一条自动化生产线。从成型，烘干，脱膜。适用于生产各种陶瓷器型，尺寸大小的碗、盘、杯、碟。特别适合生产大尺寸的产品，如花盆，大碗。省力省人工。机器规格可根据客户的要求来定做。

This machine is auto forming ,drying . suitable for making all sizes pottery ,ceramic porcelain plates , bowls,mugs,cup & saucers.special for big plant pot , pot ,big bowl.save labor cost .we can make this production line according your requests. compare with fully automatic production line, this line is more economic.


## AUTOMATIC JIGGERING

### 全自动滚压线

#### 用途

本机是根据生产工艺流程设计出来的一条自动化生产线。从练泥，投泥，成型，烘干，脱膜，洗边等全部结合在一起，从而提高了生产效率，降低人工成本。适用于碗，盘，杯类的自动生产线。

This is fully automatic ceramic tableware production line including pug mill, clay cutting, forming, drying, demolding, edge trimming, also can connect with glazing line. all process finished automatically and accurately with highly working efficiency and low labor cost. suitable for making pottery, ceramic porcelain plates, bowls, mugs, cup & saucers



## AUTOMATIC JIGGERING 全自动离心注浆线

### 用途

用于注浆陶瓷产品，在整个注浆过程中，实现自动注浆、自动倒浆、模具自动烘干。是一条整个流程自动化生产线，并且可以同时做几个不同器型的产品。减少产品表面的气泡及产品不变形。

Used for slip casting of ceramic products. Auto slip casting, slurry pour-out, molds drying. all process finished automatically. Reduce the bubble on products surface and the deformation. This line can make different shapes products at the same time.



### 参数

规格尺寸 Dimension	模具数 Station	总功率(kw) Power (kw)	开模方式 Mould Method	生产能力 Capacity	有热风烘干模具 Hot Air System Dry Mould
1.3x30m (wxl)	380pcs	8kw	Circulate No Stop Open Moulds, one Worker One Side, Left Side And Right Side.	4000-6000pcs/24 hours	

## HIGH PRESSURE GROUTING LINE 高压注浆线

### 用途

用于注浆陶瓷产品，在整个注浆过程中，实现自动注浆。是一条整个流程自动化生产线，减少产品表面的气泡及产品不变形。

Used for slip casting of bathroom products. Auto slip casting, all process finished automatically. Reduce the bubble on products surface and the deformation.

### 参数

型号 Model	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)	模具数量 Quantity of moulds
YT-GYJ	每小时18-25个	18kw	300x700x250(h)	5000	1付



## BATHROOM HIGH-PRESSURE GROUTING 卫浴高压注浆

### 用途

用于注浆卫浴产品，在整个注浆过程中，实现自动注浆。是一条整个流程自动化生产线，减少产品表面的气泡及产品不变形。

Used for slip casting of bathroom products. Auto slip casting, all process finished automatically. Reduce the bubble on products surface and the deformation.

### 参数

型号 Model	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)	模具数量 Quantity of moulds
YT-GYJ	每小时20-30个	15kw	200x2000x280(h)	5200	12组



## MULT-STATIONS AUTO FORMING MACHINE 多工位杯碗盘成型机

### 用途

多工位杯碗盘成型机用于生产陶瓷杯、碗、盘。经济、占地少、效率高，自带自动送泥架，一个人操作即可。

Mult-stations forming machine is used for making ceramic mugs, bowls, plates. This machine with high efficiency, reduction of labor and energy saving. can work with clay conveyor and dryer, need about 90 pcs moulds, Auto clay conveyer - forming - demolding automatically, with capacity 6-10 pcs/m.



### 参数

型号 Model	型号 (cm) Max forming size	产能 Capacity	总功率 (kw) Power (kw)	外形尺寸 (cm) dimension (l x w x h)
BW-6	Cups: dia 12x12cm(h) Bowls Dia 16cm	8-12 pcs/m	6.5kw	2.5x2.6x1.7m(h)
P-6	Dia: 30cm	6-10 pcs/m	6.8kw	2.6x2.7x1.7m(h)



## SINGLE HEAD SEMI-AUTO JIGGERING MACHINE 单头半自动滚压机

### 用途

用于生产陶瓷杯，陶瓷盘，陶瓷碗，陶瓷罐等等。手动投料，自动成型。操作简单，经济实惠。

This machine has many models. suitable to produce pottery porcelain ceramic mugs, bowls, plates pots. feed by manual, automatic forming, easy operating, economical and practical.

### 参数

型号 Model	模具尺寸 Moulds holder size	型号 (cm) Max forming size	产能 Capacity	总功率 (kw) Power (kw)	外形尺寸 (cm) dimension (l x w x h)	重量 Weight (KGS)
S	300mm	≤8" H≤17cm	360PCS/H	2.2kw	150x80x150(h)	400
M	393mm	≤12" H≤22cm	300PCS/H	3kw	155x87x155(h)	500
L	445mm	≤13" H≤17cm	240PCS/H	5kw	160x95x160(h)	800
XL	485mm	≤16" H≤17cm	180PCS/H	5.5kw	165x100x165(h)	1000

## DOUBLE HEAD AUTO FORMING MACHINE 双头高精成型机

### 用途

本机使用单凸轮式成型，精确度高，操作维修保养方便，使用寿命长，可根据客户的要求制作加热器和滚压模具。适用于陶瓷碗，盘，杯自动成型。

This single roller forming machine, high accuracy easy operation, convenient maintenance and long working life. all molds and header can be provided according to customers' requirements.



### 参数

型号 Model	型号 (cm) Max forming size	产能 Capacity	总功率 (kw) Power (kw)	外形尺寸 (cm) Dimension (l x w x h)	重量 Weight (kgs)
280	Dia 28cm (11")	400-720 pcs/h	11hp/8.2kw	140x153x170cm	800



## HYDRAULIC VERTICAL AUTO FORMING MACHINE 直立式滚压高精成型机

### 用途

采用 PLC 微电脑控制，上下模均采用变频调速，操作方便，可根据客户要求制做电热器各滚压头模具。适用于煲、深杯、大碗、花盆等的成型。

This machine controlled by PLC microcomputer, up and down die speed controlled by frequency speed regulation. molds and jiggering head can be made by customers' requests. this machine is good at making big ceramic pot, deep mugs, pot and flower pots.

### 参数

型号 Model	型号 (cm) Max forming size	产能 Capacity	总功率 (kw) Power (kw)	外形尺寸 (cm) dimension (l x w x h)
280 single head	Dia 28cm (11") x H 25	120-300 pcs/h	10hp/7.5kw	220x99x225cm
330 single head	Dia 38cm (15") x H 40cm	90-300 pcs/h	12.5hp/9.4kw	220x99x225cm

**PRESS MACHINE**  
四柱冲压



**用途**

此机用于生产各种陶瓷异形盘，坯体致密度高、强度大、不易变形、产品尺寸一致。

This machine is special for making special shapes plate, such as turkey dishes, big fish dishes, square dishes.

**参数**

型号 (cm)	30	60	80
Max forming size			
产能	5-6	1-2	1-2
Capacity			
工作台有效尺寸 (mm)	600x480	825x635	825x635
workbench size			
最大行程	400	450	450
stroke			
液压系统压力mpa	≤6.5	≤19	≤19
Hydraulic pressure			
最大口模口 t	20	50	80
Max & Modulus t			
电机功率kw	3	11	11
Power			
主机	1100x630x1700	1170x760x1780	1170x760x2150
Main machine			
液压站	850x650x1050	850x700x1300	880x700x1300
Hydraulic station			

**MULTI STATIONS EDGE WASHING MACHINE (TRIMMING MACHINE)**

洗坯机

**用途**

此机主要适用日用陶瓷产品出模坯体烘干后，口向下，底向上倒置于模头转盘上，进行口部、口边、底部进行修边洗坯，修洗出来高品质的产品。此机全电，气动控制，操作简单，故障率低，保养方便。代替工人节约成本。

This machine is for trimming clay body edge, 2 heads work at the same time, can trimming both inside and outside with high working efficiency. suitable for mugs, bowls, plates, cup & saucers.



**参数**

型号 Model	型号 (cm) Max forming size	产能 Capacity	总功率 (kw) Power (kw)	外形尺寸 (cm) dimension (l x w x h)	工位 Stations
130	Ø305mm	20pcs/m	3.48kw/380v	158x130x130(h)	10
105	Ø270mm	20pcs/m	1.83kw/380V	130x105x130(h)	10

**SPECIAL SHAPES FORMING MACHINE**

异形滚压机

**用途**

异型滚压适合，四方，六角，八角，椭圆等陶瓷滚压产品。

This machine is good at making square shape, hexagonal shape, anise shape, oval shape ect. Special shapes.



**参数**

型号 Model	产能 Capacity	总功率 (kw) Power (kw)	外形尺寸 (cm) dimension (l x w x h)
YT-YXJ	每小时40-60个	3.5kw	90x120x150(h)

**MULTI STATIONS GLAZING MACHINE**

多工位上釉机 (5工位、6工位、12工位、24工位)

**用途**

多工位上釉机适合杯，碗，盘上透明釉和白釉，一次多个上釉提高效率。

This machine is good at dipping glaze for ceramic /porcelain mugs ,bowls, plates ,pots . Easy operation, high effective.

**参数**

型号 Model	产能 Capacity	总功率 (kw) Power (kw)	外形尺寸 (cm) dimension (l x w x h)
YT-DGWJ	每小时50-80个	8kw	300x500x250(h)


## BOWL SAUCER PALTE GLAZING MACHINE

### 杯碟小碗漂釉机

#### 用途

此机用于小碗，杯子，小碟整个产品内外上釉用。操作简单，节省劳动成本。

This machine is for glazing ceramic porcelain pottery bowls ,mugs,plates & saucers. easy operation,save labor cost.



#### 参数

型号 Model	型号 (cm) Max forming size	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)	Stions
150	6"and mugs	36pcs/m	2kw/380v	2x4.2x1.4m(h)	400	12

## GLAZE WIPPING MACHINE

### 擦底机

#### 用途

此机采用高品质海绵擦底，陶瓷产品上釉后擦除产品底脚的釉水，带水运转的海棉有自洁功能。

Use high quality sponge to wipe the ceramic bottom glaze ,to make bottom clean. the runing sponge has self-clean function .have single belt and double belt.



#### 参数

型号 Model	海绵带尺寸 (lxw) Cm Belt Size	外形尺寸 (cm) dimension(lxwxh)
单向 Single Belt	30x90cm	55x100x90cm(h)
双向 Double Belt	40x90cm	65x100x90cm

## AUTOMATIC GLAZE DIPPING MACHINE

### 自动浸釉



#### 用途

此机利用真空吸住产品，旋转浸入釉水中，使整个产品内外表面同时施釉。工位及最大产品尺寸可根据客户的具体要求来订做。

This machine is suitable for automatic glazing of bowls/cups/plates/pots/big pots. plates cups bowls.. sucked by vacuum, rotating dipping into the glaze ,whole products dipping glazing. with high quality. we can make the max.size and work stations according your needs.

#### 参数

型号 Model	最大成型尺寸 Max.forming Size(cm)	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) Dimension(lxwxh)	重量 Weight(kgs)
2头10 □ 40 □ 2head 1 tank 4 staion	10"	480times/h	4kw/380v	2 x 1.2 x 1.85(h)m	500
2头20 □ 40 □ 2 head 2 tank 4 staion	18"	480times/h	6kw/380v	2.9 x 1.6 x 2.2(h)m	800



## CERAMIC MUGS /BOWLS AUTOMATIC GLAZING MACHINE

### 陶瓷杯碗自动浸釉线

#### 用途



陶瓷杯碗自动浸釉线用于碗，杯产品的浸釉,特别适合上二个色。内外不同色，整条线浸内外釉，擦底等工艺衔接在一起。具有生产效率高人工成本低，于全自动滚压线一起使用，形成一条由成型到上釉完自动的生线。

Fully automatic mugs ,bowls glazing dipping machine can do one color or two colors. It is the good choose sepcial for inside and outside different color. Working with automatic forming line achieves a fully automatic production line from green body forming to glazing.



## AUTO CERAMIC PLATE GLAZING MACHINE

### 陶瓷盘、碟自动淋釉线



#### 用途

淋釉线集吹灰、加湿、淋釉、擦底、干燥为一体，减少了人工劳动强度，大大地提高了生产效益。淋釉线的运转采用无极调速控制，班产（8小时）可调控在2.5-4.6万件之间，解决了不同厂家在产量上的各自需求。淋釉采用最新的高精细钟罩式淋釉装置，使釉面平整光滑、无色差、极大的提高了釉面质量。

This ceramic plate saucers automatic glazing machine has dust blowing section, humidification section, glazing section, wiping bottom section, drying section. greatly improves the production quality and capacity. lower the labor cost.

## CERAMIC MUGS POTS BOWLS OUTSIDE GLAZE MACHINE

### 陶瓷外釉机

#### 用途

此机用于小碗，杯子，小碟整个产品内外上釉用。操作简单，节省劳动成本。

This machine is for glazing ceramic porcelain pottery bowls, mugs, plates & saucers. easy operation, save labor cost.



#### 参数

型号 Model	型号 (cm) Max forming size	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
Outside Glazing	Dia 20 X 30cm (h)	90-480pcs/h	0.8kw	130 X 85 X 170 Cm(h)	250

## PLATE & SAUCER GLAZE DIPPING MACHINE

### 盘子碟子浸釉机

#### 用途

此机用于陶瓷盘，碟整个产品上釉用。操作简单，节省劳动成本。此机根据客户的需求订制。

This machine is for glazing ceramic porcelain pottery plate and saucer. easy operation. we can make the machine according your requests.

#### 参数

型号 Model	最大成型尺寸 Max. forming Size(cm)	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) Dimension(lxwxh)	重量 Weight(kgs)	Stions
320	dia 20x15cm(h)	66-90pc/h	1.5kw	110 x 55 x 150 m(h)	350	3



## INSIDE GLAZING MACHINE

### 陶瓷内釉机

#### 用途

上釉桶内的釉通过泵入口的高速冲击旋转，达到充分的搅拌，此机设有80目的筛网，上内釉时可防止釉飞溅，保证上釉质量。

The glaze in the barrel fully mixed by the pump, equipped with a screen of 80 mesh, to prevent glaze spatter and ensure the glazing high quality. this machine is suitable for glazing both inside and outside of ceramic cups/bowls/pots/bottles and other ceramic products



#### 参数

型号 Model	最大成型尺寸 Max. forming Size(cm)	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) Dimension(lxwxh)	重量 Weight(kgs)
60	Dia 60 X 30 Cm(h)	Depends On Worker	1hp/0.75kw	122 x 61 x 90 cm(h)	200



## AUTO SPRAY GLAZING LINE

### 自动喷釉机

#### 用途

自动喷釉线通过对产品预热，并在工作过程中自转，专用的陶瓷喷釉枪对产品的各个角度进喷釉，适用全瓷和骨瓷及二次烧成的陶瓷坯，以及一次烧成的泥坯。喷釉均匀，效率高，减少人工成本。

This line is used for glazing porcelain and bone china, ceramic products with twice firing or clay body with one time firing (green body) each angles of products can be glazed by the spraying guns, automatic process with high production efficiency and lower labor cost. preheating, glazing and drying, all process finished automatically.



#### 参数

型号 Model	型号 (cm) Max forming size	产能 Capacity
12	Dia 35 X 20cm (h)	900-1800pcs/h

总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
15kw	11.5 x 4.5 x 3 m(h)	5000

## SINGLE STATION GLAZE SPRAY BOOTH

### 单工位喷釉机



#### 用途

产品可旋转，速度可调节，使用工业用手动喷枪，并带搅拌功能以免釉沉淀，配有水帘来除尘。

The product can be rotated and the speed is adjustable, using an industrial manual spray gun and with stirring function to prevent the precipitation of glaze, water curtain cabinet for dust removed, suitable for glazing ceramic plats/bowls/cups/mugs/saucers/pots.

#### 参数

型号 Model	型号 (cm) Max forming size	产能 Capacity
Single Station	Dia 20" 50cm (h)	480pcs/h

## MULTI STATIONS GLAZE SPRAY BOOTH

### 多工位喷釉机



总功率(kw) Power (kw)	外形尺寸 (cm) Dimension(lxwxh)	重量 Weight(kgs)
180kw	100X100X200cm	150

## TRIMMING MACHINE

### 修胚机

#### 用途

适合修坯碗底，杯盖，弧型的修复造型用，操作简单。适用范围广。

This machine is special for trimming the bottom of bowls, the top of mugs pots cover, arc shapes. easy operating, widely usage.



#### 参数

型号 Model	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
YT-XPJ	每小时80-100个	1.5kw	80x120x120(h)	85

## CERAMIC CARVING MACHINE

### 陶瓷雕刻打印机

#### 用途

适合在色釉陶瓷上雕刻图案，文字等。

This machine is good at carving the letter and design directly on the color glaze ceramic mugs, bowls. Plates. Special for individual requests. Easy operation



#### 参数

型号 Model	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
YT-DKJ	每小时80-100个	1.5kw	80x110x130(h)	80

## HOLE MAKING MACHINE

### 打孔机

#### 用途

打孔机适合在陶瓷茶漏上打孔，盘子，杯子上打玲珑图案。

Good at make holes on ceramic plate ,mugs ,tea filter bucket .



#### 参数

型号 Model	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
YT-DKJ	每分钟80-120个	1kw	100x100x150(h)	90

## RIMMING MACHINE

### 划线机

#### 用途

适合在碗口，边，盘子口和边，各种陶瓷上划各种颜色的线。

This machine is good at make edge line for ceramic glass mugs , bowls. Plates for color lines and gold line .



#### 参数

型号 Model	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
YT-HXJ	每小时30-50个	2kw	80x100x150(h)	100

## PAD PRINTER

### 移印机

#### 用途

手动陶瓷磨底机用于各类陶瓷底脚磨平磨光抛光。金刚砂轮旋转平面跳动误差小，运转平稳，噪声低。自带水循环装置，把粉尘带走，环境清洁。

Manual ceramic bottom grinding machine is used for grinding & trimming the bottom of fired ceramic plate, bowls, mugs, cup and saucers, etc. with water circulation device. no dust.

#### 参数

型号 Model	最大印刷面积 Max. printing Area	墨盘尺寸 Ink Plate Size	印刷速度 Speed
2 colors	40x40cm	75x55 cm	600-800pcs/h
4 colors	40x40cm	75x55 cm	600-800pcs/h
印刷高度 Print Height	功率(kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
25-35cm	1.5kw/220v	200x65x220cm(h)	500kgs
25-35cm	1.5kw	220x130x220cm(h)	12000kgs



## BALL MILL

### 球磨机

#### 用途

球磨机用于陶瓷原料的研磨，依靠球磨石的旋转抛落及相对的滑动，对物料进行撞击和研磨，使物料达到细度要求，内衬为刚玉高铝砖或大理石砖，用高铝砖，比重大耐磨损。

Ball mill is used for grinding ceramic raw materials. the intermittent ball mill depends on the rotation and relative sliding of the ball grindstone to make the materials fineness requirement, ball mill inner corundum high alumina brick or marble brick. alumina brick is stable and with long service life.



#### 参数


名称 Name	外形尺寸 Dimension (l x w x h)mm	产能 Capacity	总功率kw
35kg球磨机 35kgs ball mill	950x800x1160mm	35kgs/time	1.5kw/380
50公斤球磨机 50kgs ball mill	1055x880x1230mm	50kgs/time	1.5kw/380
100公斤球磨机 100kgs ball mill	1170x1100x1300mm	100kgs/time	1.5kw/380
150公斤球磨机 150kgs ball mill	1200x1150x1350mm	150kgs/time	2kw/380v
200公斤球磨机 200kgs ball mill	1500x1950x1160mm	200kgs/time	2.2kw/380v
300公斤球磨机 300kgs ball mill	2150x1600x1700mm	300kgs/time	3kw/380v
500公斤球磨机 500kgs ball mill	2330x1660x1700mm	500kgs/time	5.5kw/380v
1000公斤球磨机 1t ball mill	2400x2200x2100mm	1t/time	11kw/380v
2吨球磨机 2t ball mill	3000x 1800 x2200mm	2t/time	18kw/380v
3吨球磨机 3t ball mill	3500 x2200 x 2300mm	1t/tim	30kw/380v

## MULTI-JARS MILL 陶瓷小磨机·多罐球磨机

### 用途


此设备主要用于少量釉料及实验室色料的研磨。研磨效果好，操作方便，转动轴心的间距可以调节，可同时2KG/5KG/10KGS不同的球磨罐。

This machine is good at grinding small quantity ceramic raw materials or pigment. the distance between the rotating axes is adjustable, can install 2kgs/5kgs/10kgs ball mill jars at same time.



### 参数

型号 Model	外形尺寸 (cm) dimension(lxwxh)	总功率(kw) Power (kw)
四罐球磨机 4-jars ball mill	90 x 88x 36 cm(h)	0.5kw
六罐球磨机 6-jars ball mill	150 x 88 x 90 cm(h)	0.75kw
八罐球磨机 8-jars ball mill	180 x 88 x 90 cm(h)	0.75kw
十罐球磨机 10-jars ball mill	210 x 88 x 90 cm (h)	1.5kw



## PISTON PUMP 柱塞泵

### 用途

本泵主要用于输送泥浆，与压滤机配套使用，保证了泥料含水量低而均匀，此泵采用液压驱动，运行平稳可靠、噪声小、压力高，泥浆压力波动小。

The piston pump is mainly used for delivery the clay plaster to filter press. lowing and uniform water content. The pump is hydraulic driven, stable and reliable operation, small noise, high pressure and small mud pressure fluctuation.

### 参数

型号 Model	最大的工作压力 Max.mpa	柱塞直径 Piston Dia	总功率(kw) Power (kw)	外形尺寸 (cm) Dimension(lxwxh)	重量 Weight(kgs)
140	2.5mpa	140mm	11kw/380v	195x115x180cm(h)	1300
200	2.5mpa	180mm	18.5kw/380v	170x120x190cm(h)	1500

## FILTER PRESS 压泥机

### 用途


本机用于陶瓷工业中泥料浆脱水，脱水后可获含水率17-26% (可调) 的坯料。

This machine is used for mud slurry dehydration in the ceramic industry, with 17% -26% (adjustable) billet with water content.



### 参数

型号 Model	滤板直径 Diameter Of Board(cm)	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
80-80	80cm x 80pcs	2t/time	3kw	680x110x160cm(h)	5000
80-100	80cmx100pcs	2.5t/time	4kw	780x110xx160cm(h)	6000
100-100	100cmx100pcs	3-4t/time	5.5kw	865x136x150cm(h)	7000



## VACUUM PUG MILL 真空练泥机

### 用途

本机供陶瓷制品真空处理泥料之用，能用于练制含水率18-24%的泥料，当泥料经过泥箱搅拌、经锥度螺旋叶挤压通筛板成泥条后进入真空室，进行真空脱气，使泥料内部所含空气排出。泥料经过真空处理再挤压成型后，可塑性提高，具有较大的密度，因而烧成产品变形小，强度高，质量好。

Vacuum pug mill is used for vacuum treatment of ceramic products, which can be used to practice mud material of 18-24%, when the mud is stirred into the mud into the vacuum chamber, and conduct vacuum degassing to discharge the air contained in the mud material. After the mud material is vacuum treatment, the plasticity is improved and has large density, so the burned product has small deformation, high strength and good quality.

### 参数


型号 Model	最大挤出直径 Max.outlet size(cm)	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
220	22cm	2-2.5t/h	15kw	270x80x140cm(h)	2100
250	25cm	2-5t/h	22kw	358x86x123cm(h)	2550
350	35cm	4.5-6.5t/h	37kw	400x190x150cm(h)	6150

## VACUUM PUG MILL 真空练泥机

### 用途

本机供陶瓷制品真空处理泥料之用，能用于练制含水率18-24%的泥料，当泥料经过泥箱搅拌、经锥度螺旋叶挤压通筛板成泥条后进入真空室，进行真空脱气，使泥料内部所含空气排出。泥料经过真空处理再挤压成型后，可塑性提高，具有较大的密度，因而烧成产品变形小，强度高，质量好。

Vacuum pug mill is used for vacuum treatment of ceramic products, which can be used to practice mud material of 18-24%, when the mud is stirred into the mud into the vacuum chamber, and conduct vacuum degassing to discharge the air contained in the mud material. After the mud material is vacuum treatment, the plasticity is improved and has large density, so the burned product has small deformation, high strength and good quality.



### 参数

型号 Model	最大挤出直径 Max.outlet size(cm)	产能 Capacity	总功率(kw) Power (kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
150	15cm	1-2t/h	7.5KW	280x80x80cm(h)	2500
180	18cm	2-2.5t/h	11kw	342x90x80cm(h)	3000
200	20cm	3. 5-5T/H	22kw	506x100x95cm(h)	3500
230	23cm	6-8t/h	30kw	570x145x110cm(h)	4000

## CLAY CUTTER FOR PUG MILL 练泥数控切泥机

### 用途

此自动切泥机配合练泥机使用，根据所需的长度，直接输入数据，机器会自动切断所需长度的泥条。

Automatic clay cutter is used with pug mill. p set up the clay length as needs the machine will cut automatic.



### 参数

型号 Model	最大泥条直径 (max.clay Diameter)cm	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
250	25cm	190x70x140cm(h)	300
350	35cm	190x80x145cm(h)	400
500	50cm	190x100x150cm(h)	500

## CLAY CUTTER FOR FORMING MACHINE 成型数控切泥机

### 用途

此成型数控自动切泥机配合成型机，把泥条切割成所需要标准找度，使成型的产品厚薄均匀，节约泥料。

This automatic clay cutter working with forming machine, can set up the clay length as needs on the machine directly. To make the forming products with uniform thickness and save the clay materials.



### 参数

型号 Model	最大挤出直径 Max.outlet size(cm)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
250	25cm	120x55x138cm(h)	200

## HIG SPEED SLURRY MIXER 快速打浆桶



### 用途

高速打浆机全不锈钢制作而成，此机通过构造特殊的搅拌叶轮对块泥料进行强有办的打碎及搅拌，为高压注浆准备好浆料。有各种大小规格可以选，特别适合小规模生产用。

High speed beating and fefinding barrel breaks and mixes the block pug through mixing blade of special structure, to prepare the slurry for casting. high speed slurry mixer is fully stainless steel. various size to choose. special for small capacity using. this machines are applicable to stirring the mud including bone china, porcelain, stoneware clay, dolomite and pottery clay etc.

## LOW SPEED SLURRY MIXER 慢速打浆桶



### 用途

慢速打浆桶代替单纯储浆桶，产品质量要求高时使用，确保泥浆不沉淀，不结块。全不锈钢制作而成。

Low speed slurry mixer is used for high quality products. Ensure that the mud does not precipitate and blocked together. It is fully stainless steel.

## IRON REMOVER 简易除铁器

### 用途

简易除铁器除铁效率高；清洗以及日常维护方便，不容易损坏，排除了电磁式除铁器的不足（耗电，漏电，容易烧毁等现象）。可任意连接泥浆管道上，起到铁除的作用。

Iron remover can be connected with anywhere of the slurry pipeline. To remove the iron of glaze and slurry high iron removal efficiency and daily maintenance are convenient, no shortage of electromagnetic iron remover shortage like electricity: consumption, leakage, easy to burn out, etc.

### 参数

型号 Model	接口直径 (diameter Of The Pipe)
90	9cm
110	11cm



## VIBRATING SIEVE 不锈钢振动筛

### 用途

不锈钢振动筛是由全不锈钢材质做成，用于陶瓷原料的过筛和分选。不锈钢网张紧装置合理，噪音小，筛量大。网目可根据客户要求来定做。

Vibrating sieve is used for sieve the raw materials of ceramic industries. It is fully stainless steel. the tension device of stainless steel is proper, low noise, big capacity. mesh size is customized.



### 参数

型号 Model	筛网直径 (diameter Of Mesh)cm	电机功率 Power(kw)	生产能力 Capacity
80	80cm	1.5KW	8t/h
100	100cm	2.2kw	12t/h

## FULL AUTOMATIC WET-TYPE ELECTRIC MAGNETIC IRON REMOVER 全自动湿式电磁除铁器

### 用途

全自动湿式电磁除铁器是一款新型的全自动除铁设备，适用于非金属矿：长石、石英、云母、高岭土等矿物的除铁，去除杂质提升品质，广泛应用于陶瓷、化工、矿山等行业。全自动精密程序控制。先进的油冷工艺。先进的线圈处理工艺。一键清洗维护方便。性能优异，磁场强度高。

Full Automatic wet-type electric magnetic iron remover is a new iron remover developed by our company. It is applicable to de-ironing of non-metals such as feldspar, quartz, mica, kaolin, etc. It enhances the quality of raw materials through removing impurities. It is widely used in the industries of ceramic, chemical and mine, etc. Fully automatic precise program control. Advanced oil cooling technology. Advanced coil processing technology. One-key

### 参数

型号 Model	磁腔直径 Diameter Of Magnetic Cavity	工作电流 (working current)	磁通密度 Flux Density	产能 Capacity	重量 Weight(kgs)
250	250mm	30A	3T	7-15t/h	1800
350	350mm	60A	3T	18-30t/h	2500
500	500mm	80A	3T	25-60t/h	3500
750	750mm	90A	3T	60-100t/h	8000
1000	1000mm	180A	3T	70-150t/h	14000



## WET ELECTRICAL MAGNETIC IRON REMOVING MACHINE 湿式电磁除铁机

### 用途

湿式电磁除铁机适用于陶瓷行业原料湿式除铁，尤其适合小批量生产或实验使用。

Wet electrical magnetic iron remover removes iron from raw materials in ceramic industry, especially for small batch production or laboratory use. Easy to clean and easy to operate.



### 参数

型号 Model	磁通密度 Flux Density	外形尺寸 (cm) dimension (l x w x h)	重量 Weight(kgs)
173	2.5t	3-7t/h	450
160	2.5t	2-4t/h	400
100	2.5t	1-2t/h	350

## VACUUM DE-BUBBLING BARRELS

### 双桶真空脱泡桶

#### 用途

真空压力注浆桶也称真空脱泡桶，主要用于陶瓷行业制造注浆成形产品，与压注浆配套使用。通过抽真空使泥浆胶泡，再通过空气压缩机加压输出压力泥浆进入注浆石膏模具内，可生产出多种高质量的特殊形状的陶瓷产品杯体所制作的坯体针孔少，致密度高。

Vacuum de-bubbling barrels is mainly for casting products in ceramic industry, which is associated with pressure casting shelf and so called vacuum foam removing machine. By vacuum foam removing, and pressing the slurry into the plaster mold of casting shelf by air compressor, various high-quality ceramic bodies with special shapes can be produced. This barrel to prepare good fluidity & no bubbles slurry for the slip casting, strong vacuuming, products with few pinholes and high density.

#### 参数

型号 Model	磁腔直径 Diameter Of Magnetic Cavity	工作电流 (working current)	磁通密度 Flux Density	产能 Capacity	重量 Weight(kgs)
250	250mm	30A	3T	7-15t/h	1800
350	350mm	60A	3T	18-30t/h	2500
500	500mm	80A	3T	25-60t/h	3500
750	750mm	90A	3T	60-100t/h	8000
1000	1000mm	180A	3T	70-150t/h	14000



## VACUUM SINGLE-BUBBLING BARRELS

### 单桶真空脱泡机

#### 用途

该机利用真空吸浆方法能有效将混浆中的气泡抽出。然后再施加空气压力将泥浆从管道直接输送到模具注压成形，全不锈钢制成，设计合理，有多种型号可选，也可根据客户的要求订做。有1吨2吨3吨4吨5吨多种容量可选。

This Vacuum single bubbling barrel is to prepare good fluidity & no bubbles slurry for the slip casting. strong vacuuming, products with few pinholes and density. full stainless steel. have various size to choose. such as 1T, 2T, 3T, 4T, 5T. We can make this machine according your requests.



## VACUUM GYPSUM PLASTER MIXER

### 真空石膏搅拌机

#### 用途

真空石膏搅拌机能快速获得流动性好，空气含量低的石膏浆，增加石膏模的使用次数，增强表面光洁度，提高石膏模的硬度。密室采用铸铝加工制作，密封性好，可方便调节搅拌叶片转速各搅拌时间。

Vacuum gypsum plaster mixer is the machine preparing for roller head forming machine molds and casting moulds. Can get the plaster slurry with good fluidity and low air content in shorter time. Improve smoothness and hardness of the plaster mould. Cabinet is stainless steel mixing speed and time can be adjust.

#### 参数

型号 Model	外形尺寸 Dimension(lxwxh)cm	功率 (kw)
30	70 x 60 x 150cm(h)	0.75kw
60	80 x 65 x 170 cm(h)	1.5kw



## PNEUMATIC DIAPHRAGM PUMP

### 气动隔膜泵

#### 用途

气动隔膜泵按装容易，无需水平安装，允许长时间持续空转而不会造成损坏，100%的自吸能力。

Pneumatic diaphragm pump no need horizontal installation, long time continuous idling will not cause damage, with 100% suction capacity. this pump is used for glaze materials and clay slurry conveyor, or pressure slip casting.



## HIGH-PRESSURE SLIP CASTING MACHINE

### 高压注浆台


#### 用途

高压注浆台与真空脱泡桶配套使用，利用真空脱泡桶中的空气压力将脱泡的泥浆进行注浆成形。顶部压板制作成万向型，降低压制石膏模上下尺寸平行度要求，操作简单，石膏模内多余泥浆通过管道直接回收，减少对工作区域的污染。规格尺寸可根据客户的要求来定做。


High-pressure slip casting machine is used with the vacuum de-bubbling barrel together. It injects and forms the de-bubbled mud with the air pressure in the vacuum de-bubbling barrel. The pressing plate on the top is fabricated into a universal one, the size of the up and down surface of the plaster mould meet the requirements for parallel degree, simple operation. excessive mud inside the plaster mold will directly collected through the pipeline, reducing pollution of the working area. we can make this machine according your requests.



**CERAMIC MUGS PRINTING MACHINE**  
陶瓷杯子直印机



**CERAMIC LOGO PRINTING MACHINE**  
陶瓷底标印刷机



**SAMPLE KILN**  
样品窑



**SHUTTLE KILN**  
梭式窑



**AUTOMATIC CERAMIC GLASS DECALS PRINTING MACHINE**  
全自动陶瓷花纸印刷机



**参数**

型号 Model	最大印刷面积 Max. printing Area	最大纸张尺寸 Max. Paper Size(cm)	最小纸张尺寸 Min. paper Size	纸张厚度 Paper Thickness
720	720x500mm	720x520mm	350x270mm	80-350g/m <sup>2</sup>
780	780x520mm	780x520mm	350x270mm	80-350g/m <sup>2</sup>
1020	1020x700mm	1020x720mm	350x560mm	80-350g/m <sup>2</sup>

版框尺寸 Fram Size	功率(kw)	外形尺寸 (cm) dimension(lxwxh)	重量 Weight(kgs)
880x880mm	7.3kw	4700x1960x1270mm	3500
940x940mm	7.8kw	4900x2080x1270mm	3800
1280x1140mm	8.2kw	5300x2720x1430mm	5000

**用途**

全自动陶瓷花纸，玻璃花纸印刷，套色准确，套色数多。

Fully automatic glass decals ceramic decals printing machine is for printing water slide transfer decals for ceramic and glass and other materials.



**SEMI-AUTOMATIC CERAMIC DECALS GLASS DECALS PRINTING MACHINE**  
半自动陶瓷花纸印刷

**用途**

半自动陶瓷花纸，玻璃花纸印刷，套色准确，套色数多。

Semi-automatic glass decals ceramic decals printing machine is for printing water slide transfer decals for ceramic and glass and other materials.


**参数**

型号 Model	最大印刷面积 Max. printing Area	最大网框尺寸 Max. frame Size	最快印刷速度 Mx. Speed	功率(kw)
4060	40x60 cm	70x90 cm	1000t/h	3kw
6090	60x90 cm	80x110cm	1000t/h	4kw
8012	80x120 cm	100x140cm	800t/h	4kw

**KILN**  
隧道式窑炉

**用途**


用于各类陶瓷产品素烧釉烧。采用优质耐火材料，隔热效果好，采用微电脑自动化窑炉控制，烧结过程中温度过高或避修时，可自动调节燃气量的大小，窑炉内各区段温差小，耗气低，产品合格率高，配备高速烧嘴，燃料完全燃烧无废气污染，符合环保要求。有隧道窑有梭式窑。根据客户的要求来做。



Our kilns are for applicable to bisque-firing and glazing firing of dolomite, porcelain, stoneware terra cotta product etc. Good-quality refractory materials are adopted, with sound heat-resistant effects and long service life. the kiln is autoamatically controlled by PID microcomputer, In case of over high or over low temperature during firing procedure the gas amount can be automatically adjusted, the temperature difference among all parts of kiln, the gas poilage is small and the certified rate is high during the firing circle. Equipping high-efficient combustion machine. The combustion is complete and no waste gas pollution is produced, which conform to the requirements of environments protection. we have tunnel kiln and shuttle kiln. we make machines according clients requests.

## DECORATION KILN

烤花窑



## CHAIN-BASKET DRYER

链式烘干线



## SIMPLE EMBRYO REPAIR, WASHING, AND GLAZING WORKBENCH

简易型修胚洗水上釉工作台



## CONVEYOR

输送带



### 用途

自动化生产线的输送纽带。可适用各种连接。规格尺寸功能可根据客户的要求来定做。

Conveyor is transmission link for automated production. Various connectidns are apply. Specification and size function can be customized according to the customer requirements:

## CERAMIC BOTTO, GRINDER

陶瓷磨底机



### 用途


手动陶瓷磨底机用于各类陶瓷底脚磨平磨光抛光。金钢砂轮旋转平面跳动误差小,运转平稳,噪声低。自带水循环装置,把粉尘带走,环境清洁。

Manual ceramic bottom grinding machine is used for grinding & trimming the bottom of fired ceramic platebowls, mugs, cup and saucers, etc. with water circulation device. no dust.

### 参数

型号 Model	筛网直径 (diameter Of Mesh)cm	功率(kw) Power(kw)	重量 Weight(kgs)
400	75x 90 x 80cm(h)	200W	50kgs

## ACCESSORIES 配件



模具胶垫  
MOULD RUBBER

制模具菲林  
MOULDS FILM

擦底海绵  
BOTTOM WIPPING SPONGE

修胚海绵  
TRIMMING SPONGE




软质陶瓷研磨轮  
SOFT CERAMIC GRINDING WHEEL

转盘  
ROTATING TURN TABLE

修瓷磨头  
ALLKINDS SANDER

胚体托板  
GREEN BODY TRAY



修胚工具  
MANUAL TRIMMING TOOL

火枪  
BURNER

灌浆模绑带  
CASTING MOULDS TIE

注浆枪  
CASTING GUN

燃烧器  
HEATER